

A SumoBrain Solutions Company

Sut

[GO TO ADVANCED SEARCH](#)

Welcome: Vivian Campbell

[Logout](#)[Home](#) | [Search](#) | [Communities](#) | [Products & Services](#) | [About Us](#) | [Help](#)[My Account](#)[My Portfolios](#)[My Alerts](#)[My Saved Searches](#)[Invite a Friend](#)

Portfolio:

Add to portfolio

ARE



or add to a new portfolio, named

Title:

VERTICAL CRUSHER

Document Type and Number:

Japanese Patent JP09066243

Kind Code:

A

Abstract:

PROBLEM TO BE SOLVED: To make the crushed grain diameter of a foam insulation material optimum for the after-treatment and make metals round after crushing to improve the yield by specifying the opening ratio of a bottom plate set between a crushing chamber and a discharge outlet.

SOLUTION: A bottom plate 5 is set between a crushing chamber 7 and a discharge outlet 10, and the opening ratio $P=Sg/So$ (So is the area of the hole of annular bottom plate 5, and Sg is the sum total of the area of opening section.) of the bottom plate 5 is set as 0.20-0.60. Also the product $(=P.s.V)$ of the particle passage rate $S=Ss/So$ (Ss represents the area encircled by the locus of average particle diameter inscribing the openings.) and the effective crushing chamber volume ratio (V = the product of the volume V determined by the locus of a hammer end and the wall surfaces of the crushing chamber/the volume Vo encircled by the wall surfaces of the crushing chamber.) is set as 0.04-0.11. The number of collisions of the hammer for matters to be crushed with the sidewalls in the crushing chamber can be reduced, and crushed pieces can be discharged quickly out of the crushing chamber by the arrangement.

COPYRIGHT: (C)1997,JPO

Inventors:

Kimura, Nobuo
Ueda, Hironobu
Sakaguchi, Kazuo
Takamura, Yoshiyuki
Iizuka, Katsuchi

Application Number:

JP1995000223004

Publication Date:

03/11/1997

Filing Date:

08/31/1995

Referenced by:

[View patents that cite this patent](#)

Export Citation:

[Click for automatic bibliography generation](#)

Assignee:

HITACHI LTD
SHINWA KIKAI SANGYO:KK

International Classes:

B02C13/18; B02C13/26; B02C13/284; B02C13/286; B02C13/00; (IPC1-7): B02C13/18; B02C13/26; B02C13/286

[Home](#) | [Search](#) | [Services](#) | [Communities](#) | [Help](#) | [Contact us](#) | [Advertise on this Site](#)© 2004-2012 FreePatentsOnline.com All rights reserved. [Privacy Policy & Terms of Use](#) A SumoBrain Solutions Company